



The information requested below is the minimum required to arrive at a good assessment of the connection possibilities. The customer will find in the follow-up phase to the basic design that the basic design indicates all interfaces with TenneT. They include control, security, measurement, signalling and other mutual dependencies and requirements.

Date of request

Organisation

(Please, enclose a recent extract from the Trade Register of the Chamber of Commerce, not older than 3 months)

Name of contact person

Email of contact person

Email organisation

Telephone (during office hours)

Telephone (mobile)

Job title

Visitor address

Correspondence address

Connection address

Continue>

			_	_				_	_	_				_		_						_
					1	1					1	1										1
					1	1					1	1	1					1				•
	1		1		1	1	1			1	1	1	1					1		1		•
					1	1			1	1	1	1					1			1		•
					•	•					•	•	•					•		•		•
					1	1			•		1	1										•
					1	1			1		1	1									1	•



Station

Voltage level station	ı kV													
Number of fields														
Connection capacit	y MV.	MVA												
Type of connection	o Consumption	o Production o Co	nsumption & Production											
Type of installation	o sun	production volume	(MW)											
	o wind	production volume	(MW)											
	o battery	production volume	(MW)											
	o hydrogen fabric	production volume	(MW)											
	o other,	production volume	(MW)											
Consumption	contracted consumption	n volume (MW)												
Transfer point	o TenneT substa	ation (on the cable connection pins)	o Site customer											
On customer side o	f transfer point, conne	ect to o Switchgear	o Primary transformer connection pins											
Delivery of cable co	nnection	o Customer	o TenneT											
Contracted power s	upply	MVA												

(This value is necessary for a timely and correct selection of the current transformers for the purpose of accountable metering and determining the cable type.)

Single Line Diagram

Single Line Diagram

If the connection consists of two or more circuits, a single line diagram is necessary to gain insight into the installation on the customer side. In addition, it is necessary to reach early agreements about the mutual interfaces that are also part of the basic design.

Scheduling

Desired commissioning date Have you received a permit from the local authority for the realization of your connection? o yes o no Have you received SDE subsidy? o yes o no

Date expected application SDE++

To request the connection options, return this completed form to your customer account manager or attach it to an email to tennetccc@tennet.eu